

CLAIMS

What is claimed is:

sub A1 1. A method for assuring compatibility between a formal specification, a front-end debugger program, and a back-end debugger program which interfaces with a debuggee system, the method comprising:

inputting a formal specification into a code generator;

parsing the formal specification;

generating a front-end debugger program portion from the specification; and

generating a back-end debugger program portion from the specification.

10 Sub C 2. The method of Claim 1, wherein the front-end debugger program runs on a first virtual machine.

3. The method of Claim 2, wherein the front-end debugger program portion comprises Java programming language code.

15 Sub G 2 4. The method of Claim 1, wherein the back-end debugger program directly controls and communicates with a second virtual machine.

Sub C 7 5. The method of Claim 4, wherein the back-end debugger program portion comprises C language code.

20 6. The method of Claim 1, wherein the formal specification is a Java Debug Wire Protocol specification.

7. The method of Claim 6, further comprising generating HTML code that contains a human-readable description of the protocol specification.

Sub A2 8. A method of Claim 1 further comprising a communication protocol between the front-end program and the back-end program defined by the formal specification

Sub C'7

9. The method of Claim 1, wherein the formal specification is written in a declarative language.

10. The method of Claim 8, wherein the communication protocol is a Java Debug Wire Protocol.

11. The method of Claim 8, further comprising generating HTML code from the formal specification that contains a human-readable description of the communication protocol defined by the formal specification.

12. A method for automatically generating front-end debugger interface code and back-end debugger agent interface code that are both compatible with a communication protocol, the method comprising:

writing a formal specification file that contains a description of a communication protocol between the front-end debugger code and the back-end debugger agent code;

inputting the formal specification file into a code generator;

parsing the formal specification;

generating the front-end debugger interface code from the formal specification; and

generating the back-end debugger agent interface code from the formal specification.

13. The method of Claim 12, wherein the front-end debugger interface code comprises Java code, the back-end debugger agent interface code comprises C code, and the formal specification comprises a specification language.

14. The method of Claim 13, wherein the communication protocol is a Java Debug Wire Protocol.

15. A computer readable medium including computer program code for automatically generating front-end debugger interface code and back-end debugger interface code that are both compatible with a communication protocol, the computer readable medium comprising:

Sub AB

09540576-033100

Sub C'7

Sub A4

computer program code for inputting a formal protocol specification;
computer program code for parsing the formal protocol specification;
computer code for generating front-end debugger interface computer code from the
specification; and
5 computer code for generating back-end debugger interface computer code from the
specification.

Sub C⁷ 16. The medium of claim 15, further comprising computer code for generating
HTML code containing a human-readable description of the communication protocol.

17. The medium of Claim 16, wherein the communication protocol is a Java Debug
10 Wire Protocol.

Sub A⁶ 18. A computer system for automatically generating front-end debugger interface
code and back-end debugger interface code that are both compatible with an communication
protocol, the computer system comprising:

a processor; and

15 a computer program operating on the processor that reads in a formal communication
protocol specification, parses the specification, and generates front-end debugger interface
code and back-end debugger interface code, such that the front-end code and the back-end
code are fully compliant with the specification and compatible with each other.

ADD B¹
Add C²